

60 YEARS OF EXCELLENCE
**MOTOR
GUARD®**

WORLD CLASS
TOOLS

For the Collision
Repair Professional

SANDING BLOCKS



PAGES 5-7

AIR PREPARATION



PAGES 8-14

BODY REPAIR



PAGES 15-17

A U.S.A. Manufacturer
www.motorguard.com



EST. 1966

ABOUT US **MOTORGUARD**® 60 YEARS OF EXCELLENCE

60 YEARS

For 60 years, **Motor Guard** has been the go-to provider for Auto Body professionals, offering *innovative solutions* in Collision Repair and Refinishing challenges. Our extensive product line is led by our **U.S. built Magna Products**, which includes a wide range of Collision Repair tools and accessories. Additionally, we offer an unparalleled line of Air Preparation components. **Whether you need tools for pulling or painting**, Motor Guard has a solution tailored for all your Auto Body Repair and Refinishing needs.

Our History

The Motor Guard Journey

Founded in 1966, Motor Guard's journey began with the supply of essential filtration components such as compressed air, oil, and fluid systems. Our rapid growth was fueled by the development of patented technologies, enabling us to offer finer contamination filtration at an affordable cost—critical for Refinishing applications. The expansion of our product portfolio to include **Dent Repair Tools, Sanding Blocks, and Various Accessories** has solidified our reputation as a leading Supplier in the industry.

Our Team

Based in our **California manufacturing facility**, our Corporate Support Team encompasses Operations, Sales, and Marketing. This team is bolstered by a nationwide network of knowledgeable Sales Representatives. **Motor Guard products are readily available through a broad network of stocking Distributors**, ensuring that you have access to our full range of solutions whenever you need them.



MANTECA, California

Customer Service
+1 800 227 2822

www.motorguard.com

580 Carnegie Street
Manteca, CA 95337 U.S.A.


Our Commitment

Leading Innovation for 60 Years

As we continue to innovate, Motor Guard remains committed to producing superior, cost-effective products designed to tackle complex challenges. We are dedicated to supporting our loyal customers with unparalleled service and expertise.

Contact Us Today to discover how we can meet all your Auto Body Repair and Refinishing needs.





CHECK OUT OUR WEBSITE A POWERFUL SALES TOOL FOR ALL



RESOURCES AVAILABLE FOR:
REPS, DISTRIBUTORS, END USERS



EASY TO USE NAVIGATE ACROSS
ALL PLATFORMS



PRODUCT INFORMATION
SPECS, FAQ'S, TDS, VIDEOS



WHERE TO BUY LIST
STOCKING JOBBERS



CONTACT US TOLL FREE
800.227.2822

www.motorguard.com

60th
ANNIVERSARY

WHERE TO BUY

www.motorguard.com



An up-to-date **Where to Buy** page allows Shops and End Users to instantly find a **Stocking Distributor** for Motor Guard products.



MOTOR
GUARD[®]

PRODUCT CATEGORIES MODEL NUMBER INDEX



**SANDING BLOCKS
& ACCESSORIES**
PAGES 5-7



**AIR PREPARATION
PRODUCTS**
PAGES 8-14



**AUTO BODY REPAIR
TOOLS**
PAGES 15-17



**PROMO/DISPLAY
PRODUCTS**
PAGES 18-19

MODEL	SKU	DESCRIPTION	PAGE	MODEL	SKU	DESCRIPTION	PAGE
AAV4059	04059	AIR ADJUSTING VALVE	12,18	J20025	00560	MAGNA WIRE 12 GA 1 LB	16
AAV4059MS	00215	MERCH STRIP AIR ADJ VALVE	19	J20037	00590	MAGNA WIRE CLAW 5 FGR	16
AC6500	04545	AIR CONTROL UNIT	9-11,18	J20042	00595	MAGNA WIRE CLAW KIT	16
AD1000	04101	EXTERNAL DRAIN 1/2NPT	12	JMC001	00605	CUTTER MAGNA SPOT WELD	17
AP-3	00733	SANDING BLOCK ASSORTMENT	6	JMC300AL	00640	MAGNA-CUTTER 3IN PK/5	17
AP-4	00772	SANDING BLOCK ASSORTMENT	6	JMC400AL	00645	MAGNA-CUTTER 4IN PK/5	17
AP-5	00796	SANDING BLOCK ASSORTMENT	7	JMD001	00625	CUTTER MAGNA DRILL	17
AP-6	00709	FLEXI-BLOCK ASSORTMENT	7	JO1050	00507	WELDER ENTRY-PLUS	15
AP-7	00829	MINI-BLOCK ASSORTMENT	7	JO1500	00505	WELDER PROFESSIONAL	15
AP-8	00833	MINI-BLOCK PAINT REPAIR KIT	7	JO1525	00491	WELDER PRO PLUS	15
AS-4028	04028	AIRTOOL FILTER	13	JO1550	00501	WELDER DELUXE	15
AS4028-2	04029	AIRTOOL FILTER PK/2	13	JO2000	00515	WELDER SUPER PRO	15
BBS-1	00739	BACKER BLOCK SOFT	5	JO2250	00492	WELDER SUPER PRO PLUS	15
BG12-1	00732	BIG-BLOCK 12 IN	6	M-100-KIT	00251	AIR FILTER KT 1/2NPT	13,19
BG6-1	00731	BIG-BLOCK 6-1/2 IN	6	M-200	00270	CONTROLLER REGULATOR	12
BGH6-1	00726	BIG-BLOCK HOLES 6-1/2IN	6	M-26	00235	AIR FILTER 1/4 NPT	13
BGK12-1	00767	BIG-BLOCK HOOK 12 IN	6	M-30	00240	AIR FILTER 1/4 NPT	9
BGK6-1	00764	BIG-BLOCK HOOK 6-1/2 IN	6	M-4095-G	04096	DESICCANT GALLON	9
BGR-1	00792	BIG-BLOCK RIGID 1-1/2IN	5	M-4095-Q	04094	DESICCANT QUART	9
BGR12-1	00794	BIG-BLOCK RIGID 11IN	7,18	M-4095-Q6	04095	DESICCANT QUART PK/6	9
BGR16-1	00795	BIG-BLOCK RIGID 16IN	7	M-45-KIT	00241	AIR FILTER KT 1/4NPT	13,19
BGR6-1	00793	BIG-BLOCK RIGID 5-1/2IN	7,18	M-60	00250	AIR FILTER 1/2 NPT	9-11
BGRK12-1	00703	RIGID BLOCK HOOK 11	7	M-60R	00254	AIR FILTER / REGULATOR 1/2 NPT	9-11,18
BGRK16-1	00704	RIGID BLOCK HOOK 16	7	M-710	00360	REPLACEMENT CARTRIDGE M-7100	8
BGRK6-1	00702	RIGID BLOCK HOOK 5-1/2	7	M-720	00365	REPLACEMENT CARTRIDGE M-7200	8
BGRK-1	00699	RIGID BLOCK NARROW HOOK	8	M-723	00375	REPLACEMENT ELEMENT CTN/4	13
BGS6-1	00727	BIG-BLOCK SOFT 6-1/2IN	6	M-785C	00302	ELEMENT PK/2 CARBON MAX	13
BP-1016	00778	BACKUP PAD MD 6IN PSA	17	MB-1	00742	MEMORY BLOCK BULK	5-6,18
BP-1018	00783	BACKUP PAD MD 8IN PSA	17	MB-10	00826	MINI-BLOCK RECTANGULAR SHAPE	7,18
BP-1026	00780	BACKUP PAD MD 6IN HOOK	17	MB-11	00827	MINI-BLOCK DOUBLE-D SHAPE	7,18
BP-1116	00779	BACKUP PAD LO 6IN PSA	17	MB-12	00828	MINI-BLOCK CURVED SHAPE	7,18
BP-1126	00781	BACKUP PAD LO 6IN HOOK	17	MBK-10	00830	MINI-BLOCK RECTANGULAR HOOK	7
BP-2027	00784	BUFFING PAD HOLDER 7IN	17	MBK-11	00831	MINI-BLOCK DOUBLE-D HOOK	7
BP-3026	00785	INTERFACE PAD 6 IN	17	MBK-12	00832	MINI-BLOCK CURVED HOOK	7
BP-4005	00782	BACKING PLATE 5X7/8	17	M-C100	00252	AIR FILTER CARB 1/2NPT	13
D-12-1	00105	FILTER ORANGE PK/1	10-11,13	MF-35	06010	MAGNA-FLEX HOSE 3/8" X 35'	9,10-11
D-12-1CJ	00104	FILTER ORANGE JAR/25	13,19	MHT-4300	04054	MINI INLINE REGULATOR	12
D-12-2	00112	FILTER ORANGE PK/2	13,18-19	MHT-7000	00268	HIGH TECH AIR PREP SYS 1/2 NPT	8,10-11
D-12-2MS	00216	MERCH STRIP SPRAY GUN FILTER	19	MHT-7100	00257	HIGH TECH AIR FILTER 1/2 NPT	8
D-12-MCJ	00113	FILTER ORANGE JAR/6	13,19	MHT-7200	00274	HIGH TECH DESICC DRYER 1/2 NPT	8
D-20	00165	BLOWGUN W/DISP FILTER	9	MHT-7300	00277	HIGH TECH REGULATOR 1/2 NPT	8
DD1008-2	01008	MINI DES DRYER PK/2	11,13,18	MP-0295	00295	TUNE-UP KIT MHT-7000	8
DD1008-2MS	00217	MERCH STRIP AIR MINI DES DRYER	19	MR-3	00791	MAGNA RULE 3 ASSORTED	17
DD1008-CJ	01015	MINI DES DRYER JR/25	13,19	MS-1-KIT	00460	MAGNA STITCHER KIT	17
DD1009-D	01009	MINI DES DRYER 12PK/2	13	MS2004	00474	MAGNA STAKE S PK/50	17
DD-2	00769	DUST DOCTOR PAD PK/2	17	MS2005	00475	MAGNA STAKE M PK/50	17
DP-5000	00207	SANDING BLOCK DISPLAY (PSA)	18	MS2006	00476	MAGNA STAKE V PK/50	17
DP-5000A	00208	SANDING DISPLAY ONLY (PSA)	18	MS2007	00477	MAGNA STAKE W PK/50	17
DP-5000R	00209	REFILL PACK SAND BLK DISP (PSA)	18	MS2014	00478	MAGNA STAKE S PK/100	17
DP-5000K	00218	SANDING DISPLAY DISPLAY (H&L)	18	MS2015	00479	MAGNA STAKE M PK/100	17
DP-5000KA	00219	SANDING DISPLAY ONLY (H&L)	18	MS2016	00480	MAGNA STAKE V PK/100	17
DP-5000KR	00220	REFILL PACK SAND BLK DISP (H&L)	18	MS2017	00481	MAGNA STAKE W PK/100	17
DP-6000	00211	AIR CONTROL DISPLAY	19	MS2040	00486	MAGNA STAKE VALUE-PACK	17
E-4000S	00755	STRIPE ELIMINATOR SYS	17	MS2045	00468	MAGNA STITCHER IRONING TIP	17
E-6080S	00803	MAGNA-STRIPPER SYS MED GRIT	17	MS-2500	00462	MAGNA STITCHER SYSTEM	17
E-6100S	00804	MAGNA-STRIPPER AL SYSTEM	17	RB-3	00770	RUN BLOCKER 3 ASSORTED	17,19
FB-1	00706	FLEXI-BLOCK RECTANGULAR SHAPE	7,18	RF2011	02011	AUTOMATIC DRAIN 1/4 NPT	10-12
FB-2	00707	FLEXI-BLOCK DOUBLE-D SHAPE	7,18	RF2055	02055	REFRIGERATED DRYER 25 CFM	14
FB-3	00708	FLEXI-BLOCK CURVED SHAPE	7,18	RF2056	02056	REFRIGERATED DRYER 40 CFM	14
HB-1	00834	HOT-BLOCKS GRAB & GO DISPLAY	5	RF2057	02057	REFRIGERATED DRYER 55 CFM	14
HT-1	00751	HOLEY TERROR BLOCK	5-6,18	RF2058	02058	REFRIGERATED DRYER 75 CFM	14
HT-2	00750	HOLEY TERROR BLOCK PK/2	5,19	RF2059	02059	REFRIGERATED DRYER 100 CFM	14
J10003	00575	SLIDE HAMMER ENTRY	16	RG-4049	04049	MINI REG/GA 1/4NPT	10-12
J20003	00538	SLIDE HAMMER	16	RK-1	00744	ROCKER BLOCK	5-6,18
J20006	00525	SHRINKING ELECTRODE	16	RKH-1	000728	ROCKER BLOCK HOOK	5
J20007	00530	STUD ELECTRODE	16	RKL-1	00729	ROCKER BLOCK LOOP	5
J20009	00535	TRIM ELECTRODE	16	RL-1	00754	ROLLER BLOCK	5-6
J20010	00522	ELECTRODE EXTENSION KIT	16	RLK-1	00824	ROLLER BLOCK HOOK	18
J20012	00540	TRIM RIVET PK/500	16	RR-1	00763	RUN RAZOR	17,19
J20014	00545	DRAW PIN 2.0MM PK/500	16	SB-1	00746	SOFT BLOCK	5-6,18
J20015	00555	DRAW PIN 2.5MM PK/500	16	SB-3	00745	SOFT BLOCK PK/3	6
J20016	00565	MAGNA CLAMP PULLER	16	SD-1	00789	PAD PRO PAD CLEANER	17
J20017	00570	MAGNA T-PULLER	16	WB-1	00740	WONDER BLOCK	5-6,18
J20020	00531	MAGNA WIRE ELECTRODE	16				
J20021	00533	MAGNA WIRE ELECT KIT	16				
J20024	00559	MAGNA WIRE 16 GA 1/2 LB	16				



MAGNA SANDINGBLOCKS

EST. 1966

PRODUCT FAMILY

ORIGINAL SANDING BLOCKS

The original flexible sanding block features two different densities to achieve the ultimate in block sanding of curved or irregularly shaped surfaces. The Sanding Blocks have many different features and use options depending on the application need.

FLEXIBLE SANDING BLOCKS

The flexible sanding bars are for detail sanding applications. Constructed of a dense yet flexible compound that allows bending to suit body profiles while maintaining a firm and durable backing for highly effective sanding.

BIG SANDING BLOCKS

Power up hand sanding with these large, flexible blocks that feature multi-layered construction and radius edges to match contours. The Big Sanding Blocks have many different features and use options depending on the application need.

MINIATURE SANDING BLOCKS

These miniature sanding blocks are designed for fine detail sanding in tight spaces. Constructed of a specialty formulated compound, their ergonomic shapes allow for fine, fingertip sanding on a wide variety of profiles and body lines. Ear bar measures 3-1/2 inches in length.

Feature Photo: AP-8 Mini-Blocks



Best Seller

HOT-BLOCKS Assortment

Our 4 Most Popular Sanding Blocks

HB-1

GRAB & GO

With a quality block for every application from fast blocking to color sanding, this offering will help reduce paint prep times and material consumption while increasing productivity. The ultimate Grab & Go solution, this eye-catching, popup is designed to turn heads and boost impulse sales. A must have for every Shop Technician.

Kit Contains: (2) HT-1 Block Busters, (3) SB-1 Soft Blocks, (2) RK-1 Rocker Blocks and (2) RL-1 Roller Blocks. See page 6 for features.

BLOCK BUSTER HT-1



Application: Fast Blocking, Filler, Dry Sanding
Size: 2-5/8" x 5-1/4"

SOFT BLOCK SB-1



Application: Wet & Dry Sanding, Color Sanding
Size: 2-5/8" x 5-1/4"

ROCKER BLOCK RK-1



Application: Wet & Dry Sanding, Filler Sanding, Color Sanding, Contour Sanding
Size: 2-3/4" x 6"

ROLLER BLOCK RL-1




Application: Wet Sanding, Fine Color Sanding, Contour Sanding
Size: 2-5/8" x 5-3/8"

Sold Separately

SOFT BACKER BLOCK BBS-1

Scuff



Application: Scuffing
Size: 4" x 6"

Supreme Scuff Pad

Motor Guard backer block is soft and flexible for scuffing areas not accessible to rigid blocks. Designed to evenly distribute pressure, imparting an even tooth over the entire panel in a single pass.

BIG BLOCK BGR-1

Blocking Bar



Application: Fast Blocking
Size: 1-1/2" x 11"

Rigid Sanding Block SUPER POPULAR!

Create the ultimate blocking bar by wrapping an abrasive sheet around this narrow, rigid block. Just the right width for power blocking in small areas, this block flexes slightly to follow contours.

ROCKER BLOCK RKH-1

Hook Face



Application: Rough Sanding to Final Finish
Size: 2-3/4" X 6"

Rocker Block Sanding Block with Hook Face

This unique block utilizes standard 6" Loop-Faced discs for all jobs from rough to final finish sanding. Exclusive radius edge wraps paper cleanly for even sanding. Multi-layer design eliminates transfer of finger marks. **Also Available:** RKL-1 (Loop Face)



The Ultimate Collection
Sanding Block Assortment of 8 Ultimate Blocks

With a quality block for every application from fast cutting to color sanding, AP-3 Motor Guard Ultimate Sanding Block Collection is the one-stop finishing solution. Reduce paint prep times and material consumption while increasing productivity. Eight of our most popular sanding blocks, one for every job.

Kit Contains: One of each below included in pop-up display box.

BLOCK BUSTER
HT-1



Application: Fast Blocking, Filler Sanding, Dry Sanding

The Holey Terror

This exclusive dual-sided block sands areas where ordinary hard blocks are not as effective. Unique blue hole side acts as a grater for 30% faster cutting while black side is for less aggressive blocking wet or dry. Back side provides a rigid and comfortable, easy to hold surface. **Also Available:** HT-2 (2 pack) **Size:** 2-5/8" x 5-1/4"

MEMORY BLOCK
MB-1



Application: Dry and Color Sanding

Contour Sanding Block

A unique sanding solution for difficult applications, the Memory Block features a firm vinyl side with extreme curving power for areas such as fender crowns and motorcycle tanks. The soft side features an exclusive memory foam that conforms to character lines and reduces pressure over ribs, louvers and other challenging features. **Size:** 2-5/8" x 6-1/2"

ROCKER BLOCK
RK-1



Application: Wet & Dry Sanding, Filler Sanding, Color Sanding, Contour Sanding

Wrap it & Rock - 6" Disc Sanding Block Uses standard 6" PSA discs for rough sanding to final finish. Radius edge wraps paper cleanly for even sanding. Multi-layer design eliminates transfer of finger marks. **Size:** 2-3/4" x 6" **Also Available:** RKH-1 (6" Hook) RKL-1 (6" Loop) Faced Abrasive Discs Designed to reduce consumable costs and sanding contours quick. Sold separately.

ROLLER BLOCK
RL-1



Application: Wet Sanding, Fine Color Sanding, Contour Sanding

Wrap it & Roll - Wet Sanding Block The special radius edges of the Roller Block lift the edges of the abrasive sheet to eliminate pressure points and sanding defects. This block utilizes standard 5-1/2" x 9" abrasive sheet folded into thirds. Specifically designed for wet sanding applications. Multi-layer design eliminates the transfer of finger marks. **Size:** 2-5/8" x 5-3/8"

SOFT BLOCK
SB-1



Application: Wet & Dry Sanding, Color Sanding

Flexible Sanding Block

Motor Guard's original dual-sided sanding block. This unique sanding block utilizes two different densities to achieve the ultimate in block sanding of curved or irregular shaped surfaces. Dense side for aggressive blocking, soft side for fine color sanding. **Also Available:** SB-3 (3 pack) **Size:** 2-5/8" x 5-1/4"

WONDER BLOCK
WB-1



Application: Dry Sanding, Color Sanding, PSA Rolls or Sheets

Supreme Sanding Block

The Wonder Block is a rugged, ergonomically designed block for maximum gripping power over flat to slightly curved surfaces. Designed for all types of paper, this block flexes to conform to the panel shape. The flat semi-rigid surface is ideal for the toughest applications. **Size:** 2-1/2" x 6-1/2"



BIG BLOCK BG6-1

Application: Dry Sanding, Filler Sanding, Blocking

Maximum Sanding Block (Standard) Power-up hand sanding with this large block that features multi-layer construction and exclusive radius edges. Designed for use with 2-3/4" PSA rolls or standard sheets. For hand sanding over smaller areas. Ultra-flat face flexes slightly to conform to curved panels. **Size:** 2-5/8" x 6-1/2"



BIG BLOCK BG12-1

Application: Dry Sanding, Filler Sanding, Blocking

Maximum Sanding Block (Standard) Power-up hand sanding with this large block that features multi-layer construction and exclusive radius edges. Designed for use with 2-3/4" PSA rolls or standard sheets. For two-handed power blocking on large panels. **Size:** 2-5/8" x 12"

Go Big

AP-4

The Big Block Assortment
Sanding Block Assortment of 6 Soft Big Blocks

The AP-4 Big Block line powers up hand sanding with a strong, comfortable grip. Three layers of engineered materials permit just the right degree of flexibility to ensure even pressure over the large, flat sanding surface. Exclusive radius edges add to the comfort of the block as well as providing a surface for contour sanding. Designed for use with 2-3/4" PSA rolls or standard abrasive sheets and two-handed sanding.

Kit Contains: One of each below included in pop-up display box.



BIG BLOCK
BG6-1

Application: Dry Sanding, Filler Sanding, Blocking

Maximum Sanding Block (Standard)

Power-up hand sanding with this large block that features multi-layer construction and exclusive radius edges. Designed for use with 2-3/4" PSA rolls or standard sheets. For hand sanding over smaller areas. Ultra-flat face flexes slightly to conform to curved panels. **Size:** 2-5/8" x 6-1/2"



BIG BLOCK
BG12-1

Application: Dry Sanding, Filler Sanding, Blocking

Maximum Sanding Block (Standard)

Power-up hand sanding with this large block that features multi-layer construction and exclusive radius edges. Designed for use with 2-3/4" PSA rolls or standard sheets. For two-handed power blocking on large panels. **Size:** 2-5/8" x 12"



BIG BLOCK
BGH6-1

Application: Fast Blocking, Filler Sanding, Dry Sanding

Hole Side Big Block

This one-of-a-kind big block features a hole side that acts like a grater for faster cutting. Smooth side for less aggressive blocking and radius edges match body contours. The soft center provides for a powerful finger grip. **Size:** 2-5/8" x 6-1/2"



BIG BLOCK
BGS6-1

Application: Wet & Dry Sanding, Color Sanding

Soft Side Big Block

A soft-sided big block for fine color sanding over large areas. Rigid inner layer prevents the transfer of finger marks to the finish and radius edges match body contours. **Size:** 2-5/8" x 6-1/2"



BIG BLOCK
BGK6-1

Application: Dry Sanding, Filler Sanding, Blocking

Hook Face Big Block

All the power and features of the big block with a hook face for use with loop sided abrasive sheets. Quickly and cleanly change sheets for maximum productivity. Low profile hook for even sanding and no tooth marks. **Size:** 2-5/8" x 6-1/2"



BIG BLOCK
BGK12-1

Application: Dry Sanding, Filler Sanding, Blocking

Hook Face Big Block

A hook faced big block in a longer length for two-handed sanding. No other hook and loop block flexes like the big block to conform to slightly curved panels. This allows for perfect finishing with no pressure points. **Size:** 2-5/8" x 12"

Ultra Rigid

The Rigid Block Assortment
Sanding Block Assortment of 6 Rigid Big Blocks

The AP-5 Big Block Rigid line is engineered from super dense yet light weight materials, these blocks provide just the right amount of flex to conform to slight contours. Their super flat faces result in fast and flawless finishes on steel and aluminum body panels. Available in both Standard and Hook and Loop options. Reduce paint prep times while increasing productivity. Use with 2-3/4" rolls or full sheets with no waste.

Kit Contains: One of each below included in pop-up display box.



BIG BLOCK
BGR6-1



Application: Aggressive Blocking, Filler Sanding

Rigid Block (Standard)

An extra-rigid block that flexes just enough to follow slightly curved surfaces. Comfort fit for high production blocking and other demanding applications.
Size: 2-5/8" x 5-1/2"

BIG BLOCK
BGRK6-1



Application: Aggressive Blocking, Filler Sanding

Rigid Block (Hook Face)

An extra-rigid block that flexes just enough to follow slightly curved surfaces. Comfort fit for high production blocking and other demanding applications.
Size: 2-5/8" x 5-1/2"

BIG BLOCK
BGR12-1



Application: Aggressive Blocking, Filler Sanding

Rigid Block (Standard)

For aggressive two-handed blocking that is unequaled. Super flat face flexes just enough to follow slightly curved surfaces.
Size: 2-5/8" x 11"

BIG BLOCK
BGRK12-1



Application: Aggressive Blocking, Filler Sanding

Rigid Block (Hook Face)

For aggressive two-handed blocking that is unequaled. Super flat face flexes just enough to follow slightly curved surfaces.
Size: 2-5/8" x 11"

BIG BLOCK
BGR16-1



Application: Dry Sanding, Filler Sanding, Blocking

Rigid Block (Standard)

Power block the largest panels with speed. Users of this block report maximum material removal in minimal time.
Size: 2-5/8" x 16"

BIG BLOCK
BGRK16-1



Application: Dry Sanding, Filler Sanding, Blocking

Rigid Block (Hook Face)

Power block the largest panels with speed. Users of this block report maximum material removal in minimal time.
Size: 2-5/8" x 16"

Ultra Flex

Size: 1-7/16" x 3/4" x 11"

Application: Detail Sanding



FLEXI-BLOCK CLAMSHELL
Flexible Sanding: #00709



FLEXI-BLOCK 3 SHAPES
FB-1 / FB-2 / FB-3

The Flexible Sanding Bar Collection
Flex Sanding Assortment of 3 Long Blocks

AP-6

Idea for detail sanding applications. Constructed of a dense yet flexible compound that allows bending to suit body profiles while maintaining a firm durable backing for highly effective sanding.

FB-1: Rectangular Block for Flat Sanding and Tight Corners

FB-2: Double D Block with Radiused Sides for Sanding Inside Contours

FB-3: Multi-Curved Block for Complex Body Lines and Details

Kit Contains: One of each in retail display clamshell.

Detail Sanding

Size: 1-7/16" x 3/4" x 3-1/2"

Application: Detail Sanding



MINI-BLOCKS CLAMSHELL
Detail Sanding: #00829



MINI-BLOCKS 3 SHAPES
MB-10 / MB-11 / MB-12

The Mini-Blocks Detail Sanding Kit
Detail Sanding Assortment of 3 Mini-Blocks

AP-7

Idea for detail sanding applications. Constructed of a specially formulated compound and their ergonomic shapes allow for fine, fingertip sanding on a wide variety of profiles and body lines.

MB-10: Rectangular Block for Flat Sanding and Tight Corners

MB-11: Double D Block with Radiused Sides for Sanding Inside Contours

MB-12: Multi-Curved Block for Complex Body Lines and Details

Kit Contains: Three of each in retail display clamshell, six blocks total.

Paint Repair

Size: 1-1/2" x 7/8" x 3-1/2"

Application: Paint Repair, Small Nibs, Little Runs - Polish and Done. Perfect for DIY Repairs.



MINI-BLOCKS CLAMSHELL
Hook & Loop Paint Repair: #00833



MINI-BLOCKS 3 SHAPES
MBK-10 / MBK-11 / MBK-12

The Mini-Blocks Paint Repair Kit
Hook & Loop Assortment of 3 Mini-Blocks

AP-8

Idea for precision paint repair, three uniquely shaped mini-blocks and an assortment of abrasive sheets to remove runs, sags and defects on all finishes. The blocks are wrapped with ultra-low profile hook facing that firmly holds abrasive sheet.

MBK-10: Rectangular Block for Flat Sanding and Tight Corners

MBK-11: Double D Block with Radiused Sides for Sanding Inside Contours

MBK-12: Multi-Curved Block for Complex Body Lines and Details

Kit Contains: One of each block + assortment of 6 abrasive sheets in retail display clamshell.

MG 60 PREMIUM AIRPREPARATION

EST. 1966

MHT-7000 Best Seller

HIGH TECH Air Preparation System
Six Stages of Air Prep in a Single System

MHT-7000 System Contains:
MHT-7100, MHT-7200, MHT 7300
System Dimensions:
18.5" width x 15" height x 6" depth



Feature Photo: MHT-7000

Features

Motor Guard has introduced the most advanced air preparation system for spray booths and critical refinishing. The MHT-7000 offers six stages of air preparation in a single unit and provides for the quickest, cleanest cartridge change out. Includes water, coalescer, activated carbon and desiccant filtration. See specifications below.

Specifications

Application: For Spray Booths and Critical Refinishing. See Page 10-11.


MODEL NO.	DESCRIPTION	PIPE SIZE	NOMINAL AIR FLOW	MAX INLET PRESSURE	TEMPERATURE RANGE	FILTRATION RATING	OUTLET RANGE
MHT-7100	HIGH TECH High Volume Water & Particulate Filter	1/2 NPT	30 CFM	125 PSI	40-120°F	.01 Micron	
MHT-7200	HIGH TECH Multi-Stage Desiccant Dryer	1/2 NPT	30 CFM	125 PSI	32-120°F	.003 PPM	
MHT-7300	HIGH TECH Regulator	1/2 NPT	30 CFM	125 PSI	40-120°F		2-125 PSI

Six Stages of Air Prep in a Single System

HIGH TECH Air Preparation System

MODEL NO.	INLET PIPE SIZE	OUTLET PIPE SIZE	SHIPPING WEIGHT
MHT-7000	1/2 NPT	1/2 NPT	21 LBS
MAX INLET PRESSURE	OUTLET RANGE	OPERATING TEMP RANGE	WATER TRAP BOWL CAPACITY
125 PSIG	2-125 PSIG	32-120°F	16 Fl. Oz
DESICCANT BEAD CAPACITY	OIL VAPOR REMOVAL RATING	ACTIVATED CARBON FILTER	NOMINAL OUTLET DEW POINT: Desiccant Dryer
2 Quarts	<.003 ppm		-40°F
NOMINAL AIR FLOW RATING	NOMINAL FILTRATION RATING	Particulate/Oil Filter	REPLACEMENT ELEMENT KIT
30 SCFM	.01 Micron		MP-0295

Specifications subject to change without notice.



MHT-7100

Application: Compressed Air Filter

A high volume water trap combined with a particulate and oil filter. Exclusive hydrophilic depth cartridge which filters to an incredible .01 micron rating and traps particulates, water and oil aerosols. Quick and clean cartridge change.



MHT-7200

Application: Compressed Air Desiccant Dryer

Features a unique cartridge that combines an activated carbon inner element to remove oil vapor to <.003 ppm with a high capacity silica gel desiccant dryer that delivers an incredible -40°F dew point to the spray booth.



MHT-7300

Application: Compressed Air Precision Regulator

A high quality, true diaphragm regulator designed to set and hold outlet pressure over a wide range of flows and conditions. A high visibility, multi-scale pressure gauge features a scratch and solvent pro glass lens that will outlast all competition.



MP-0295

Application: Don't Forget! Tune Up Kit

A color-change from blue to pink signals the need to replace cartridges.
MP-0295 Kit Contains:
M-710 Compressed Air Filter Cartridge, M-720 Desiccant Dryer and Activated Carbon Cartridge

Best Seller

Two Stage Filter System Platinum Series Shop Air Management System

The M-60R System combines our exclusive sub-micronic compressed air filter with a precision, true-diaphragm regulator and gauge, brass shut off valve and wall mounting brackets for a powerful point-of-use air preparation unit. An outstanding air control unit for spray gun or other air tool applications.

MODEL NO. DESCRIPTION	PIPE SIZE	NOMINAL AIR FLOW	MAX PRESSURE	TEMP RANGE	FILTRATION RATING
M-60R Two Stage System	1/2 NPT	100 CFM	125 PSI	32-120°F	.01 Micron



60th ANNIVERSARY PLATINUM SERIES

Application: For the Spray Gun and other Air Tool applications Replacement Element M-723. See Page 10-11.

Best Seller

60 Years Platinum Series Sub-Micronic Compressed Air Filter



Application: Install at the point of use to remove particulates, moisture and oil down to and incredible .01 microns in size. See Page 10-11.

M-30 / M-60

M-30 Features a mounting bracket/hardware for use with 1/4 inch hose. Mount in spray booth, on plasma cutters or on equipment requiring ultra-clean air.

M-60 A high-flow model for direct inline installation on 1/2 inch or larger lines. Mount one at every station to protect tools and other critical applications.

Nominal Removal: .01 Microns. **Nominal Dimensions:** W x H: 5" x 7"

Air Filters for Multiple Industries: Automotive/Industrial Refinishing, Marine/Wood Finishing, Powder Coating, Pneumatic Control Systems, Air Powered Tools, Packaging/Drying/Inflating, Parts Clean Blow off.

MODEL NO.	DESCRIPTION	PIPE SIZE	NOMINAL AIR FLOW	MAX INLET PRESSURE	TEMP RANGE	REPLACEMENT ELEMENT	FILTRATION RATING
M-30	Compressed Air Filter	1/4-18 NPT(F)	45 CFM	125 PSI	32-175°F	M-723	.01 Micron
M-60	Compressed Air Filter	1/2-14 NPT(F)	100 CFM	125 PSI	32-175°F	M-723	.01 Micron

Air Control Unit

Particulate Filter/Water Trap



Application: For Critical Applications needing finely Regulated Air. See Page 10-11.

AC-6500

The AC-6500 removes moisture and particulates from compressed air and provides a finely regulated supply of air for critical applications. Its large capacity bowl and high air flow rate make it effective and economical as an addition to any workstation. This unit combines an efficient particulate filter and water trap with a high-flow diaphragm regulator into a single unit. Features a T-Handle adjustment, a pressure gauge with a solvent-proof glass lens and multiple air outlets for versatility.

MODEL NO.	DESCRIPTION	PIPE SIZE	NOMINAL AIR FLOW	MAX INLET PRESSURE	TEMP RANGE	FILTRATION RATING
AC-6500	Air Control Unit	1/2 NPT	120 CFM	150 PSI	40-125°F	5 Micron

Accessories & Shop Supplies



SPRAY BOOTH HOSE MF-35 Two Year Warranty

Application: Designed for HVLP Booth Applications. See Page 10-11.

Ideal for high-quality refinishing. Durable, lightweight and non-kinking. Constructed of premium hybrid polymer with a reinforced flexible inner core that allows the hose to lay flat while it resists breaking down under repeat use and flexing.

MODEL NO. DESCRIPTION	HOSE/PIPE PORT/SIZE	HOSE LENGTH	MAX PRESSURE	TEMP RANGE	NOMINAL AIR FLOW	FILTRATION RATING
MF-35 MAGNA-FLEX Hose	3/8"	35'	300 PSI	40-180°F	30 CFM	
D-20 Blow Gun/Filter	1/4 NPT		125 PSI	40-120°F	30 CFM	.01 Micron

Air Hose / Blow Gun with Filter / Replacement Desiccant Compressed Air Accessories and Supplies



BLOW GUN W/FILTER D-20

Application: For critical applications such as Surface Preparation and Parts Blow off.

Delivers ultra-clean, dry, oil free air for critical applications like surface prep & parts blow-off. Premium grade diecast blowgun with comfort grip, O.S.H.A. safety tip and a unique sub-micronic filter with a wound element that absorbs water, traps oil and captures particles as small as .01 microns.

MODEL NO. DESCRIPTION	HOSE/PIPE PORT/SIZE	HOSE LENGTH	MAX PRESSURE	TEMP RANGE	NOMINAL AIR FLOW	FILTRATION RATING
MF-35 MAGNA-FLEX Hose	3/8"	35'	300 PSI	40-180°F	30 CFM	
D-20 Blow Gun/Filter	1/4 NPT		125 PSI	40-120°F	30 CFM	.01 Micron



REPLACEMENT DESICCANT M-4095

Application: Don't Forget the Replacement Desiccant! For use in Motor Guard and other desiccant dryers using silica gel beads. Highly visible color change (from blue to pink) highlights the need for regeneration or replacement. Silica gel desiccant beads with color change indicator. Hard spherical bead resists attrition. Low dust formula.

Available in (3) different sizes below:

- M-4095-Q:** Quart of Desiccant Beads
- M-4095-Q6:** 6 Quarts of Desiccant Beads
- M-4095-G:** Gallon of Desiccant Beads

Recommendations

www.motorguard.com

MAIN LINE PIPING

3/4" Minimum/ 1 1/4" Optimum

Copper or Galvanized recommended.

Sectional Aluminum is also acceptable.

PVC NOT RECOMMENDED

- Not pressure tested for safety
- Tends to sag, causing a "sump" in the line
- Not a good conductor of heat

BLACK IRON NOT RECOMMENDED

- Highly susceptible to internal corrosion
- Restricts air flow and allow contaminants into the airstream

FLEXIBLE HOSE CONNECTION Between Compressor & Main Piping Line

Allows motion and vibration of compressor.

SLOPES DOWN & AWAY FROM COMPRESSOR

4" drop every 50' (~1/4" per ft).

Add drain valve at end of piping run.

COMPRESSOR TANK SHOULD BE DRAINED DAILY

(If No Auto Drain Present)

Drain first thing in the AM, air has cooled and condensed.

REVERSE "U" AT THE TOP FROM EACH MAIN LINE DROP

By forcing air up and over, the excess water will continue to run to end drain.

580 Carnegie Street
Manteca, CA 95337 U.S.A.

MOTOR GUARD®

Customer Service
+1 800 227 2822

MHT-7100

High Capacity Water & Particulate Filter

A high-volume water trap combined with a particulate and oil filter that features Motor Guard's exclusive hydrophilic depth cartridge which filters to an incredible .01 micron rating.

Refrigerated Dryer

Removes moisture from compressor discharge by lowering temperature. An efficient and economical way of providing dry air throughout the shop. For high inlet temperature air applications (160° F) please reference page 14 in catalog.

M-60-R

Shop Air Management System

This proven technology to the M-60 filter is now combined with a high efficiency filter, a true diaphragm regulator, brass shut off valve and wall mounting brackets.

AC-6500

Air Control

The Motor Guard Air Control Unit combines an efficient particulate filter and water trap with a high flow diaphragm regulator into a single unit. The AC-6500 removes moisture and particulates from compressed air and provides a finely regulated supply of air for critical applications.

D-12

Disposable Spray Gun Filter

Attaches directly to the spray gun and provides a lightweight sub-micronic filter to remove oil, water and particulate.

MHT-7000

High Tech Air Preparation System

Motor Guard has introduced the most advanced air preparation system for spray booths and critical refinishing operations. The Motor Guard High Tech Air Preparation System offers six stages of air prep in a single unit and provides the quickest, cleanest cartridge change in the industry.

MF-35

High Flow Booth Hose

Premium hybrid poly reinforced hose for durability while remaining flexible. 35 feet in length. 1/4" NPT Brass Full Flow (HVLP) fittings.





RF-2011
Automatic Tank Drain

Electronic control automatically drains tanks at specified interval. Extends tanks life and lowers operating costs.

M-60
Sub-Micronic Compressed Air Filter

The ultimate final filter. Removes moisture, particulate and oil aerosols to less than .01 microns in size. Protects refinishing equipment, air tools and plasma cutting equipment. Easily replaceable element.



M-60-R
Shop Air Management System

This proven technology to the M-60 filter is now combined with a high efficiency filter, a true diaphragm regulator, brass shut off valve and wall mounting brackets.

AC-6500
Air Control

Combines an efficient particulate filter and water trap with a high flow diaphragm regulator into a single unit. Removes moisture and particulates from compressed air and provides a finely regulated supply of air for critical applications.



or

MHT-4300
Mini Inline Regulator

A revolutionary air control product that offers the benefits of a true diaphragm regulator in an ultra-compact, gauge-free design.

DD-1008
Desiccant Dryer

Lightweight disposable desiccant dryer attaches directly to tool. Color change indicator signals replacement.

RG-4049
Mini Regulator/
Gauge

A true diaphragm, that weighs ounces. Attaches directly to tool or spray gun for ultimate control.



**BODY SHOP
PIPING LAYOUT**

www.motorguard.com 800.227.2822



PREMIUM AIR PREPARATION



Unique calibrated dial for ultra-precise control of pressure regardless of upstream conditions. Once adjusted to the desired outlet pressure, the dial is securely locked with a convenient thumb slide. See below for more details.

MHT-4300 New Product

Mini Inline Regulator Diaphragm
HIGH TECH Revolutionary Air Control
Contains: One regulator in a retail blister card.

Customer Service
+1 800 227 2822

Feature Photo:
MHT-4300 Mini Inline
Regulator Diaphragm

Air Control Components

Compressed Air Regulators Adjust and maintain the pressure of your compressed air.

Best Seller

Mini Inline Regulator Diaphragm



MINI INLINE REGULATOR
MHT-4300

Application: Attaches directly to the Spray Gun, Pneumatic Tool, or Applicator Gun. Just Set it and Forget it! See Page 10-11.

A true diaphragm regulator in an ultra-compact, gauge-free design. Unique in its lightweight and streamlined form factor, provides precise and convenient pressure control while adding virtually no weight or bulk. Perfect for all critical applications.

A True Diaphragm



MINI SPRAY GUN REGULATOR
RG-4049

Application: Attach directly to Tool or Spray Gun for ultimate control. See Page 10-11.

A lightweight compact regulator designed to provide constant pressure to the spray gun under the most demanding shop conditions. Not a "cheater" valve but a true diaphragm regulator with our exclusive micro-seat design which ensures no pressure creep at all flow rates. Complete with glass-faced gauge and locking adjustment knob.

A True Needle/Seat



PRECISION AIR VALVE
AAV4059

Application: Attach directly to Tool or Spray Gun for precise control.

A high quality air adjusting valve designed for precise control of air pressure entering the paint spray gun or air tool. This tapered needle/seat is finely engineered to provide a smooth adjustment between fully closed and fully open with an infinite range in between.

A True Diaphragm



PRECISION AIR REGULATOR
RG-4520

Application: Precise Full-Range Adjustment. For use on Industrial Compressed Air Systems only.

The RG-4520 Air Regulator is a true diaphragm, self-relieving unit that provides precise, full-range adjustment for all of your air control needs. Features: full-range adjustment, rugged, easily adjustable T-Handle, easy to read gauge with durable glass lens.

A True Diaphragm



CONTROLLER REGULATOR
M-200

Application: Precise control of Air Pressure near the Workstation.

The M-200 Controller Regulator is a true diaphragm relieving type regulator for precise control of air pressure near the workstation. Includes durable T-handle adjustment and a high-visibility gauge with a solvent-proof glass lens.

MODEL NO. DESCRIPTION	PIPE SIZE	NOMINAL AIR FLOW	MAX PRESSURE	TEMP RANGE
RG-4049 Mini Spray Gun Reg.	1/4 NPT	25 CFM	125 PSI	40-120°F
AAV4059 Air Adjusting Valve	1/4 NPS	30 CFM	160 PSI	40-180°F

MODEL NO. DESCRIPTION	PIPE SIZE	NOMINAL AIR FLOW	MAX PRESSURE	TEMP RANGE	OUTLET RANGE
RG-4520 Precision Air Reg.	1/2 NPT	100 CFM	300 PSI	40-120°F	2-125 PSI
M-200 Controller Regulator	1/2 NPT	215 CFM	300 PSI	40-120°F	2-125 PSI

Compressed Air Drains

Air Tank/Auto Float Drains

Automatically drain tanks of accumulated water and oil at specified intervals.

MODEL NO. DESCRIPTION	PIPE SIZE	DRAIN TIME/ CYCLE TIME	MAX PRESSURE	TEMP RANGE	ELECTRICAL
RF-2011 Air Tank Drain	1/4 NPT	1-30sec/1-60min	200 PSI	35-165°F	115VAC
AD-1000 Auto Float Drain	1/2 NPT		120 PSI	40-120°F	



AIR TANK DRAIN
RF-2011
Application: See Page 10-11.



AUTO FLOAT DRAIN
AD-1000

Bestsellers

The "Original" Series - 60 Years Strong

Compressed Air Components / Air Filters



SPRAY GUN FILTER

D-12 The Original

Easy Disposable Application: Attach directly to spray gun to remove oil, water and particulate. See Page 10-11.

Today's demanding applications require perfect air at the spray gun. Shop's investing a lot in air prep and paint jobs should not be ruined by contaminants picked up in the air line or downstream of filters and dryers. Motor Guard's Original D-12 provides a lightweight sub-micronic filter to remove oil, water and particulate.

Filtration Rating: .01 Micron

Also Available:

- D-12-1** Pack of 1 Filter
- D-12-2** Blister Card of 2 Filters
- D-12-MCJ** Cookie Jar of 6 Filters
- D-12-1CJ** Cookie Jar of 25 Filters



MINI DESICCANT DRYER/FILTER

DD-1008 The Original


Easy Disposable Application: Attach directly to spray gun to remove water vapor, aerosols and dirt for all stages of painting. See Page 10-11.

A unique product that provides a last line of defense against airborne contaminants that are commonly picked up downstream of wall-mounted filtration units and in the air hose leading into the spray gun. This in-line disposable filter features a color change indicator, signaling time to change the filter.

Filtration Rating: 5 Micron

Also Available:

- DD-1008-2** Blister Card of 2 Filters
- DD-1008-CJ** Cookie Jar of 25 Filters
- DD-1009-D** 12 Pack of Filters



MHT-4300 Mini Inline
D-12 Spray Gun Filter
MF-35 Spray Booth Hose

MODEL NO. DESCRIPTION	PIPE SIZE	NOMINAL AIR FLOW	MAX PRESSURE	TEMP RANGE
D-12 Spray Gun Filter	1/4 NPT	30 CFM	100 PSI	32-120°F

MODEL NO. DESCRIPTION	PIPE SIZE	NOMINAL AIR FLOW	MAX PRESSURE	TEMP RANGE
DD-1008 Mini Desiccant Dryer	1/4 NPT	20 CFM	125 PSI	32-130°F



PLASMA CUTTING AIR FILTER 1/4NPT

M-26 Platinum Series

Application: For Cleaner, Smoother, Faster Plasma Cutting. Replacement Element M-723

Contaminants in your compressed air system dust such as scale, condensed moisture and oil mist seriously affect the quality of your plasma cuts. Install the M-26 Sub-Micronic Air Filter on your plasma machine to effectively remove these contaminants eliminating arc spatter and producing cleaner faster smoother cuts. In addition, our filters virtually pay for themselves by reducing wear and prolonging the life of expensive tips and electrodes. Features bottom ports and mounting bracket.



ACTIVATED CARBON FILTER

M-C100

Application: For Waterborne Basecoats. Install at the point of use to trap oil vapor and other molecules from compressed air. Replacement Element M-785C

Today's premium waterborne refinishing systems demand compressed air that is cleaner than ever. The addition of M-C100 as a final stage in a new or existing spray booth filtration system ensures defect-free jobs with today's waterborne and other premium refinishing systems. The Carbon-Max® cartridge contains activated carbon media that traps oil and other molecules down to <.01 ppm by weight.

MODEL NO. CONNECTION SIZE	MAX AIR FLOW @90psi	MAX INLET PRESSURE	TEMP RANGE	FILTRATION RATING
M-26 1/4 NPT	2700 SCFH	125 PSI	40-175°F	.01 Micron
M-C100 1/2-14 NPT(F)	100 CFM	125 PSI	32-175°F	<.01 ppm

Replacement Elements & Kits

The "Original" Series - 60 Years

Replacements for : M-26/30/60 and M-C100



FILTER ELEMENTS

M-723 The Original

Application: Don't Forget! Fibre-Pure Replacement Element for M-26 / M-30 / M-60 / M-60R

Hydrophilic fiber for non-degrading, contaminant free and minimal pressure loss.

M-785C

Application: Don't Forget! Carbon-Max Replacement Element for M-C100

Carbon Max cartridge activated carbon media that traps oil and other molecules for air that is virtually free from oil vapor.

FILTER KITS

M-45-KIT The Original

Application: Clean Air Filter Kit, Sub-Micronic, 1/4 NPT

Contains: Model M-30 Filter, Mounting Bracket, Hardware and (Two) Replacement Elements.

M-100-KIT The Original

Application: Clean Air Filter Kit, Sub-Micronic, 1/2 NPT

Contains: Model M-60 Filter and (Two) Replacement Elements.

MODEL NO. DESCRIPTION	PIPE SIZE	NOMINAL AIR FLOW	MAX INLET PRESSURE	TEMP RANGE	FILTRATION RATING
M-45-KIT Air Filter Kit	1/4 NPT	45 CFM	125 PSI	32-175°F	.01 Micron
M-100-KIT Air Filter Kit	1/2 NPT	100 CFM	125 PSI	32-175°F	.01 Micron



Standard Temp



Non-Cycling Refrigerated Air Dryers Standard Temperatures (25-100 CFM)

Motor Guard distributed Altec AIR Non-Cycling Refrigerated Air Dryers, are designed to meet the demand of your compressed air system with quality components that are built to last. **Features:** Consistent and reliable dry air - ISO Class 4 - 5, compact all-aluminum heat exchanger modules with low pressure drops, programmable automatic electronic drains, easy-access cabinet design for ease of maintenance and serviceability, suction and discharge pressure gauges provide simple and reliable monitoring of the dryer's refrigeration system, top mounted inlet and outlet connections allow for easy installation of dryer, filters, and bypass valves, ETL listed configurations (Pending).

Rating conditions based on 100 PSIG Inlet Pressure, 100°F Inlet Temperature and 100°F Ambient Temperature. Refer to Specification Sheet for detailed Descriptions, Specifications, and Dimensions. To ensure optimal performance, do not operate continuously in conditions below or above max/min specifications.

Specifications

Application: Ideal drying solution for Auto Service Centers and General Shop Air Applications that use Piston Type Air Compressors 5.0 to 30 horsepower. See Page 10-11.


MODEL	INLET AIR FLOW @ 100 PSIG (SCFM)	ELECTRICAL RATING	DRAIN PORT	IN/OUT CONNECTIONS	NOMINAL COMPRESSOR RATING	MAXIMUM INLET PRESSURE	MAXIMUM INLET TEMP	REFRIGERANT TYPE	DIMENSIONS			WEIGHT	
									INCHES			LBS	KG
									HEIGHT	WIDTH	DEPTH		
RF2055	25 CFM	115/1/60	1/4"	1/2"	5 HP	232	140°F / 60°C	R134a	26	17	19	98	45
RF2056	40 CFM	115/1/60	1/4"	1"	7.5 HP	232	140°F / 60°C	R134a	26	17	19	105	48
RF2057	55 CFM	115/1/60	1/4"	1"	10 HP	232	140°F / 60°C	R134a	26	17	19	108	49
RF2058	75 CFM	115/1/60	1/4"	1"	15 HP	232	140°F / 60°C	R134a	26	18	28	160	72
RF2059	100 CFM	115/1/60	1/4"	1"	20 HP	232	140°F / 60°C	R134a	26	18	28	172	78

Refrigeration Air Drying Process

How Refrigerated Air Dryers Work

Refrigerated Air Dryers use refrigeration cooling to condense moisture and remove it from a compressed air system.

- Warm saturated air enters a pre-cooler/re-heater heat exchanger at the dryer inlet and is pre-cooled by outgoing cold air.
- The pre-cooled air then enters the air to refrigerant heat exchanger and is cooled to its lowest point.
- As the air is cooled, the moisture it contains changes from a vapor to a liquid and is removed by a stainless-steel mesh separator and discharged from the dryer through an automatic drain valve.
- The cold air is then re-heated by incoming warm air as it passes back through the pre-cooler/re-heater.
- The resulting warm air that exits the dryer is clean, dry and ready for use by a compressed air system.




Product Features

***MANUFACTURE'S LIMITED WARRANTY -ALTEC AIR NON-CYCLING COMPRESSED AIR REFRIGERATED DRYERS** Altec Air Compressed Air Dryers purchased through Motor Guard are covered by a (2) Year Manufacturer's Limited Warranty. Details are available upon request.

CONSISTENT & RELIABLE DRY AIR
ISO Class Dew Points @ 100°F / 38°C
Saturated Inlet - Model Specific Ratings

INDUSTRIAL-GRADE REFRIGERATION SYSTEM
Built to last compressors from industry leading North American manufacturers

ENVIRONMENTALLY FRIENDLY REFRIGERANTS
All Refrigerated Air Dryer models use only R134a refrigerant



TOP INLET & OUTLET CONNECTIONS
Provides simple, easy access for installing dryers and accessories

COMPACT, ALUMINUM HEAT EXCHANGER
Integrated Pre-cooler/Re-Heater, Air to Refrigerant Heat, Low Pressure Drops

PROGRAMMABLE ELECTRONIC DRAINS
Reliable, pre-set timer drains installed on every unit



Proudly Made in U.S.A.

The Ultimate Dent Removal Tools
MAGNA-SPOT Welders
 Sold in 7 Custom Kits
Kits All Contain: A welder, a slide hammer and a supply of draw pins in a handy storage box/case. See additional options below.

Best Sellers

JO1050



Feature Photo: JO1050 Entry-Plus Kit

Features

Motor Guard Stud Welders feature a lightweight, ergonomic design with heavy-duty construction, low-heat transfer and the highest level of reliability. These are unique, solid quality, U.S. manufactured products that offer world class performance for today's Collision Repair Professional. See page 16 for specifications and custom kits available.

MAGNA-SPOT Stud Welder Kits
 Proudly Made in the U.S.A.

Designed for today's high-strength steel unibody vehicles. With plenty of power for any job, these welders virtually eliminate 'burn-through', a common problem associated with other models. Now featuring our exclusive **MAGNA Pin System (MPS)** which provides a convenient and secure holder for pins both on the case and in the electrode tip.

Application: Designed for instant welding of draw pins, molding rivets and for the 'shrinking' of stressed material.

Welders



ENTRY-PLUS KIT
JO1050

Kit Contains: 1500 Series Stud Welder, Heavy-Duty Slide Hammer, Electrode for Pins, 500 – 2.0mm Pins in a Handy Storage Carton, 120 VAC 1 PH 50/60 Hz 15 A, 9 foot Heavy Gauge Oil Resistant Power Cord



PROFESSIONAL KIT
JO1500

Kit Contains: 1500 Series Stud Welder, Heavy-Duty Slide Hammer, Electrodes for Pins, Rivets and Shrinking, 500 – 2.0mm pins, 150 – Trim Rivets in a Blow Molded Carry Case, 120 VAC 1 PH 50/60 Hz 15 A, 9 foot Heavy Gauge Oil Resistant Power Cord



SUPER-PRO PLUS KIT
JO2250

Kit Contains: 2000 Series Stud Welder, Heavy Duty Slide Hammer, T-Puller, Electrodes for Pins, Rivets and Shrinking Magna Wire Adapter Kit, 250 – 2.0mm Pins, 250 – 2.5mm Pins, 1/2lb 16ga Magna-Wire, 150 Trim Rivets, Blow Molded Case, 120 VAC 1 PH 50/60 Hz 15 A, 9 foot Heavy Gauge Oil Resistant Power Cord

JO1500 / JO1525 / JO1550

JO2000 / JO2250



Accessories

The Original Motor Guard MAGNA-SPOT Stud Welder Pins are now with improved **Striker Tip** designed to guarantee a consistent, strong weld on all steels. **No other pin is stronger!** No other pin flexes more easily. No other pin guarantees a solid weld on all steels. Comes in 2.0mm 500/pack and 2.5mm 500/pack. **Included in All Welder Kits:** Size and amount varies.

Best Seller



DRAW PINS

J20014 / J20015

Application: Accessory for Stud Welders. Now with Striker Tip!

See description above.

J20014 2.0mm Draw Pins 500/Pack

Included in all kits - amount varies

J20015 2.5mm Draw Pins 500/Pack

Included in kits: J01525, J01550, J02000, J02250



MAGNA T-PULLER

J20017

Application: Optional Accessory for Stud Welding and Pulling

A compact tool for small damage repair on light-weight metal to reduce over pull.

J20017 Included in kits: J01525, J01550



MAGNA CLAMP

J20016

Application: Optional Accessory for Stud Welding and Pulling

Constructed from heat-treated hardened steel, this tool features wing nut/self-tightening, making the job fast and easy.

J20016 Included in: J01550 Kit



TRIM RIVETS

J20012

Application: Accessory for Stud Welders

Steel, copper coated rivets. Welded to body panels for installing metal trim strips. A restoration requirement.

J20012 Included in kits - J01500, J01525, J01550, J02000, J02250



SLIDE HAMMER

J10003 / J20003

Application: Accessory for Stud Welding and Pulling

Slide made of cast iron. Collet is heat treated tool steel for maximum grip and extended life.

J10003 Entry Standard Cam Release
Included in: J1000 kit

J20003 Deluxe Heavy-Duty with Quick Release. **Included in kits:** J1050, J01500, J01525, J01550, J02000, J02250



MAGNA CLAW

J20037 / J20042

Application: Optional Accessory for Stud Welding and Pulling

Heavy duty steel construction, utilizing handle or external source. Unique design pulls the MAGNA-WIRE, one "finger" at a time until the damaged metal is flush with surface. Excellent method for pulling out long, difficult to access creases.

J20037 MAGNA-WIRE Claw 5 Finger
J20042 MAGNA-WIRE Claw Kit, includes 5 Finger Claw, MAGNA-WIRE Electrode Kit and MAGNA-WIRE.



MAGNA WIRE

J20024 / J20025

Application: Optional Accessory for Stud Welding and Pulling

Steel, copper coated corrugated wire. Welded with the MAGNA WIRE electrode to pull out long creases evenly with the MAGNA CLAW.

J20024 16 Gauge, 1/2 lb pack
Included in kit: J02250

J20025 12 Gauge, 1 lb pack
Included in kits: J01525, J01550, J02000



ELECTRODES

**J20006/J20007/J20009
J20010/J20020/J20021**

Application: Accessory for Stud Welders

Tough copper with the highest electrical conductivity.

J20006 Shrinking Electrode, fast heat.

J20009 Rivet Electrode, for J20012

Trim Rivets. **Both Included in kits:**

J01500, J01525, J01550, J02000, J02250

J20007 Pin Electrode, holds all

standard size pins. **Included in all kits.**

J20010 Electrode extension kit w/M.P.S.

J20020 Electrode for MAGNA-WIRE

J20021 Wire Electrode kit for

welding MAGNA-WIRE **Included in kits:**

J01525, J01550, J02000, J02250

Specifications

MAGNA-SPOT Welders

The Ultimate Dent Removal Tool sold in 7 Custom Kits

Application: Designed for instant welding of draw pins, molding rivets and for the 'shrinking' of stressed material. See Page 15.



Kits All Contain: A welder, a slide hammer and a supply of draw pins in a handy storage box/molded carry case. See additional options below.

Proudly Made in U.S.A.

MAGNA SERIES - (ST) STANDARD ITEMS INCLUDED IN KIT OR (OP) OPTIONAL ADD-ONS

MODEL	KIT	NOMINAL WELDING CURRENT	*ELECTRICAL RATING	STORAGE	DUTY CYCLE	2.0MM DRAW PINS	2.5MM DRAW PINS	SHIPPING WEIGHT LBS	Entry/Deluxe Slide Hammer	Clamp/Claw	T-Puller / Rivet Puller	Draw Pin	Trim Rivet	Extension	Round Washer	MAGNA Wire	Shrinking	Trim Rivet	Round Washer	MAGNA Wire 12 or 16 Ga.	
J01000	Entry	1500A	120V 1ø 15A*	BX	2%,1 Sec.On,60/Hr	Pk/100		17	Entry	OP	OP	ST	OP	OP	OP	OP	OP	OP	OP	OP	OP
J01050	Entry-Plus	1500A	120V 1ø 15A*	BX	2%,1 Sec.On,60/Hr	Pk/500		19	Deluxe	OP	OP	ST	OP	OP	OP	OP	OP	OP	OP	OP	OP
J01500	Professional	1500A	120V 1ø 15A*	CS	2%,1 Sec.On,60/Hr	Pk/500		23	Deluxe	OP	OP	ST	ST	OP	OP	OP	ST	Pk 150	OP	OP	OP
J01525	Pro-Plus	1500A	120V 1ø 15A*	CS	2%,1 Sec.On,60/Hr	Pk/250	Pk/250	25	Deluxe	OP	ST/OP	ST	ST	OP	OP	ST	ST	Pk 150	OP	OP	OP
J01550	Deluxe	1500A	120V 1ø 15A*	CS	2%,1 Sec.On,60/Hr	Pk/250	Pk/250	28	Deluxe	ST/OP	ST/OP	ST	ST	OP	OP	ST	ST	Pk 150	OP	OP	OP
J02000	Super Pro	2000A	120V 1ø 15A	CS	2%,1 Sec.On,60/Hr	Pk/250	Pk/250	25	Deluxe	OP	OP	ST	ST	OP	OP	ST	ST	Pk 150	OP	OP	OP
J02250	Super Pro-Plus	2000A	120V 1ø 15A	CS	2%,1 Sec.On,60/Hr	Pk/250	Pk/250	27	Deluxe	OP	ST/OP	ST	ST	OP	OP	ST	ST	Pk 150	OP	OP	1/2lb Pk

* Select 120V Models available in 240V 1ø - See Price Sheet

DENT PULLERS

ELECTRODE TIPS

CONSUMABLES



MAGNA BODY REPAIR



Customer Service
+1 800 227 2822

One Year Warranty
MS-2500



High Intensity Work Light

Plastic Repair

MAGNA-STITCHER

Plastic Repair System

Proudly Made in U.S.A.

This technology works by welding a rigid stainless steel stake into the surface of the plastic resulting in a permanent repair of the crack. MS-2500 is a complete unit with all the power and accessories needed. Includes a powerful work light in the gun to illuminate out of the way areas. A feature not found on comparable units. Includes assortment of MAGNA-STAKES.

System Contains: 3 Power levels, High-Intensity Work Light, MAGNA-STAKES S, M, V, W - 100 of each, 115 VAC 50/60 Hz low power draw

Application: Use to Repair Bumpers, Fascias, Spoilers, Headlamp and Radiator Brackets, Interior and Underbody Components, Wheel Wells, Panel Mounting Tabs and any Thermoplastic Part.

Plastic Adapter

MAGNA-STITCHER Plastic Repair Adapter

The MAGNA-STITCHER Adapter provides an economical solution for plastic repair by turning your stud welder into a plastic repair tool. MS-1-KIT fits all popular stud welders and provides all the features of a plastic repair system at a fraction of the cost. Includes assortment of MAGNA-STAKES.

Kit Contains: Adapter with thumb screw lock, MAGNA-STAKES S, M, V, W - 25 of each, Heavy and durable storage case.

REPLACEMENT DESCRIPTION	MAGNA STAKES APPLICATION	PK/50	PK/100
S-SHAPED STAKE	For Repair of Flat Sections	MS2004	MS2014
M-SHAPED STAKE	For Repair of Tabs & Narrow Sections	MS2005	MS2015
V-SHAPED STAKE	For Repair of Inside Corners	MS2006	MS2016
W-SHAPED STAKE	For Repair of Outside Corners	MS2007	MS2017



MAGNA-STITCHER ADAPTER MS-1-KIT

Application: Use with your Stud Welder to Repair Plastic

The MS-1 works by welding a rigid stainless steel stake into the surface of the plastic resulting in a permanent repair of the crack. Once back of broken part is stitched, the cosmetic repair and refinishing can be completed on the outside of the part.



MAGNA-STAKES ASSORTMENT MS2040

Application: For all Popular Hot Staple Plastic Repair Systems

Stainless Steel Stakes .028" Wire diameter.

Value Kit Includes:
(100) S Shaped Stakes
(100) M Shaped Stakes
(100) V Shaped Stakes
(100) W Shaped Stakes



MAGNA-STITCHER IRONING TIP MS2045

Application: Quicker, Cleaner Repairs

Inserts in end of MAGNA-STITCHER Electrode and smooths over stitched areas for quicker, cleaner repairs. Fits Motor Guard and similar competitive units.

Refinishing Accessories



STRIPE ELIMINATOR E-4000S

Application: Removes Stripes and Molding Adhesive

Motor Guard's Stripe Eliminator System quickly removes stripes and molding adhesives without damaging the finish. Soft, resilient compound acts like an eraser; absorbing the heat and leaving the surface like new. Standard width for fast removal over larger areas. Universal hardware fits all popular air and electric tools. Made in USA.



MAGNA STRIPPER E-6080S

Application: Spot Repair on Steel Body Panels

The Ultimate Spot Repair Tool for Small Areas
The MAGNA-STRIPPER quickly strips Clear Coat, Base Coat, Primer Coat or All Three without damaging the body panel. Soft, resilient compound is impregnated with abrasive; absorbing the heat and leaving the metal like new. Made in USA.



MAGNA-STRIPPER FOR ALUMINUM E-6100S

Application: Spot Repair on Aluminum Body Panels

Specifically Formulated for Aluminum
Quickly strips Clear, Base, Primer Coats or All Three from aluminum body panels without damage. Soft, resilient compound is impregnated with abrasive; absorbing heat and leaving the metal like new. Made in USA.



MAGNA RULES MR-3

Application: Hands Free Measuring of Steel Surface

Ruler Assortment of 3
Magna Rules are flexible magnetic rulers which allow hands free measuring on any steel surface. Ideal for locating pinstripping, lettering and emblems. Conforms to curved surface for accurate measurements. **Set contains:** (3) rulers in 36" 24" and 12" lengths. Made in USA.



MAGNA-CUTTERS FOR ALUMINUM JMC300AL / JMC400AL

Application: Cutting Aluminum Body Panels & Structural Components

Abrasive cut-off wheels formulated to cut aluminum fast, cool and clean with no loading. A resin-bonded wheel specifically designed for cutting automotive aluminum body panels and structural components. **Available in:** 3" (JMC300AL) and 4" (JMC400AL) diameters. Pack of 5. Made in USA.



SPOT WELD CUTTERS JMD001

Application: Separating Body Panels from Tough OE Welds

MAGNA Spot Weld Cutter quickly separated body panels from OEM welds. High-quality U.S. Steel cutter and self centering pilot for fast/accurate holes. Replaceable cutter is double ended for extended life. Arbor fits electric/pneumatic chuck type drills. Made in USA.



RUN RAZOR RR-1

Application: Shave away Runs, Sags, and Dust Particles

Motor Guard's unique tool for shaving away runs, sags and dust particles for the perfect paint job. Quality U.S steel blade is dialed down to remove the run without touching the finish. Also removes striping tape and plastic repair seams. Made in USA.



DUST DOCTOR DD-1

Application: Instant Means of Unloading Abrasive Sheets

Revolutionizes hand sanding by providing an instant means of unloading abrasive sheets. Utilizes microfiber technology to pull sanding dust right from the paper. Improves shop air quality by reducing airborne dust. Made in USA.

Pack of 2 Pads: DD-2



PAD PRO CLEANER SD-1

Application: Clean Foam Polishing and Cutting Pads


Motor Guard's Pad-Pro, the Spin Doctor, offers a unique and innovative method of cleaning and unloading foam polishing and cutting pads. Saves time by cleaning the spinning pad while it is on the buffer. Soft paddle wont harm pads.



BACK-UP PADS BP-1026

Application: Flawless Sanding

Medium density back-up pad with vinyl face for 6" PSA discs. Features molded urethane pad with riveted hub. Pads are precision balanced for vibration-free. Ultra flat faces for flawless sanding. Innovative facing materials provide maximum hold while allowing for quick change of abrasive discs. 5/16-24 threaded stud. Made in USA.



PSA Sanding Block Display Board

Rigid Framed Pegboard Display of 14 Popular Blocks

The Motor Guard DP-5000 is a high-impact point-of-sale display that presents our most popular sanding blocks on an accessible, easily refillable board. Created to drive impulse sales, this display will draw attention and allow the customer to handle the product.

SPECIFICATIONS: Dimensions: 24" x 24" x 1"

FEATURES: Full Color Display that includes (14) Popular PSA Sanding Blocks (shown below) and (28) Pegboard Hooks. [See pages 5-7 for individual product info and applications.](#) **Also Available DP5000R:** Refill Pack that contains 2/Ea of every block on the board.

DP5000A: Display Board and Hardware only.

FLEXI-BLOCK
FB-1



FLEXI-BLOCK
FB-2



FLEXI-BLOCK
FB-3



BIG BLOCK
BGR6-1



BIG BLOCK
BGR12-1



BLOCK BUSTER
HT-1



MEMORY BLOCK
MB-1



MINI-BLOCKS
MB-10



MINI-BLOCKS
MB-11



MINI-BLOCKS
MB-12



ROCKER BLOCK
RK-1



ROLLER BLOCK
RL-1



SOFT BLOCK
SB-1



WONDER BLOCK
WB-1



Instructions Mount boards securely and level to a wall using pre-drilled hold on all four corners. Board should be mounted to a wall, rack or other rigid structure using fasteners suitable for the method of mounting. Install peg hooks in locations shown on instructions sheet. Place product on appropriate hooks. Check and refill often.

Hook & Loop

DP-5000K

Hook & Loop Sanding Block Display Board

Rigid Framed Pegboard Display of 9 Popular Blocks

The Motor Guard DP-5000K is a high-impact point-of-sale display that presents our most popular sanding blocks on an accessible, easily refillable board. Created to drive impulse sales, this display will draw attention and allow the customer to handle the product.

SPECIFICATIONS: Dimensions: 24" x 24" x 1"

FEATURES: Full Color Display that includes (9) Popular H&L Sanding Blocks (shown below) and (18) Pegboard Hooks. [See pages 5-7 for individual product info and applications.](#) **Also Available DP5000KR:** Refill Pack that contains 2/Ea of every block on the board.

DP5000KA: Display Board and Hardware only.



RIGID BLOCK HOOK NARROW
BGRK-1



RIGID BLOCK HOOK 5-1/2
BGRK6-1




RIGID BLOCK HOOK 11
BGRK12-1



RIGID BLOCK HOOK 16
BGRK16-1



ROCKER BLOCK HOOK
RKH-1



ROLLER BLOCK HOOK
RLK-1



MINI-BLOCK HOOK (REC)
MBK-10



MINI-BLOCK HOOK (DOUBLE D)
MBK-11



MINI-BLOCK HOOK (CURVED)
MBK-12



Air Control Products Display Board

Rigid Framed Pegboard Display of 6 Popular Products

The Motor Guard DP-6000 is a high-impact point-of-sale display that presents our most popular air control products on an accessible, easily refillable board. Designed to drive impulse sales, the display is designed draw attention and allow the customer to handle the product.

SPECIFICATIONS: Dimensions: 24" x 24" x 1"

FEATURES: Full Color Display that includes (6) Popular Air Control Products (shown below) and (8) Pegboard Hooks. See pages 9 & 12-13 for individual product info.

Application: For Critical Applications needing finely Regulated Air. See Page 9.

Application: For the Spray Gun and other Air Tool applications. Replacement Element M-723. See Page 9.

Easy Disposable Application: Attach directly to spray gun to remove oil, water and particulate. See Page 13.



AIR CONTROL UNIT
1/2 NPT
AC-6500



AIR FILTRATION SYSTEM
1/2 NPT
M-60R Platinum Series



DISPOSABLE SPRAY GUN FILTER PK/2
D-12-2



Application: See Page 13
MINI DESICCANT DRYER 2/PK
DD1008-2



Application: See Page 9
MAGNA FLEX BOOTH HOSE SAMPLE
MF-35S



Application: See Page 12
AIR ADJUSTING VALVE 1/4 NPS
AAV4059



Displays/Strips/Merch



POINT OF SALE DISPLAYS

D-12-2 6 Spray Gun Filter Pk/2
M-45-KIT M-30 Filter Kit
M-100-KIT M-60 Filter Kit
HT-2 6 Sanding Block Pk/2
RB-3 6 Blocking Tools Asst/3
RR-1 9 Run Removal Tool
SB-3 6 Sanding Block Pk/3

Application: Ideal for Mobile Tool Distributors and Jobber Stores and is proven to drive impulse sales.



AIR ADJUSTING VALVE MERCHANDISING STRIP
AAV4059MS

Application: Ideal for Mobile Tool Distributors and Jobber Stores and is proven to drive impulse sales without occupying valuable shelf space. Packaged as the Model AAV459MS Merchandising Strip Kit, each contains (6) AAV4059 Air Adjusting Valves and (1) heavy-duty PVC merchandising strip with a colorful, eye-catching header card and S-hook. On the reverse if the header is refill instructions including a bar-code. **Size:** 36" long. See Page 12 for product specs.



SPRAY GUN FILTER MERCHANDISING STRIP
D-12-2MS

Application: Ideal for Mobile Tool Distributors and Jobber Stores and is proven to drive impulse sales without occupying valuable shelf space. Packaged as the Model D-12-2MS Merchandising Strip Kit, each contains: Full Color Header Card, Heavy-Duty Vinyl Mounting Strip, Heavy-Duty S-Hook, (4) D-12-2 Disposable Spray Gun Filter Pk/2. **Size:** 36" long. See Page 13 for product specs.



MINI DESICCANT DRYER MERCHANDISING STRIP
DD1008-2MS

Application: Ideal for Mobile Tool Distributors and Jobber Stores and is proven to drive impulse sales without occupying valuable shelf space. Packaged as the Model DD1008-2MS Merchandising Strip Kit, each contains Full Color Header Card, Heavy-Duty Vinyl Mounting Strip, Heavy-Duty S-Hook, (4) DD-1008 Disposable Spray Gun Filter Pk/2. **Size:** 36" long. See Page 13 for product specs.



MINI DESICCANT DRYER COOKIE JAR
DD-1008-CJ

Application: Ideal for Mobile Tool Distributors and Jobber Stores and is proven to drive impulse counter sales. **DD-1008-CJ:** Cookie Jar of 25 Dryers See Page 13 for product specs.



DISPOSABLE SPRAY GUN FILTER COOKIE JARS
D-12-MCJ / D-12-1CJ

Application: Ideal for Mobile Tool Distributors and Jobber Stores and is proven to drive impulse counter sales. **D-12-MCJ:** Cookie Jar of 6 Filters **D-12-1CJ:** Cookie Jar of 25 Filters See Page 13 for product specs.



AIR SYSTEM 20"X16" COUNTERMAT
PR-100

Application: Ideal to promote shop system sales. Durable, high-impact mat promotes the sale of air management products by displaying all components needed to build a top quality shop air system.



MOTOR GUARD HIGH QUALITY POLOS
PR-122 (MENS)
PR-124 (WOMENS)

Application: Ideal to promote and represent a U.S.A. Manufacturer partnership with pride.

Men's Port Authority® Fine Pique Blend Blocked Polo (Sizes: XS - 4XL)
Women's Port Authority® Fine Pique Blend Polo (Sizes: XS - 4XL)
Call Customer Service or Go through Your Motor Guard Rep to order.



MOTOR GUARD PARTNER (AUTHORIZED DISTRIBUTOR) WINDOW DECALS

PR-110

Application: Window Decal

Durable, dual-sided window decal promotes the availability of Motor Guard products in your store.

CHECK OUT OUR LATEST **INNOVATIONS**

SANDING BLOCKS / AIR PREPARATION / BODY REPAIR



AP-8 Mini-Blocks Paint Repair - Page 7



Flexi-Blocks & Mini-Blocks - Page 7



MHT-4300 Inline Regulator - Page 9 & 12



Customer Service

+1 800 227 2822

www.motorguard.com

580 Carnegie Street
Manteca, CA 95337 U.S.A.

REV 2-26 S1135
Printed in the U.S.A.

**MOTOR
GUARD**[®]
60 YEARS OF EXCELLENCE